

/medias/en!hp.ec.br.pr//medias/en!hp.pv/212.178.145.106NUP238NUP2..-EZylinderrollenlager

Cylindrical roller bearings

NUP238-E-M1 (Series NUP2..-E)

main dimensions to DIN 5412-1, locating bearing,
separable, with cage

The datasheet is only an overview of dimensions and basic load ratings of the selected product. Please always observe all the guidelines in these overview pages. Further information is given on many products under the menu item "Description". You can also order comprehensive information via the Catalogue selection system (https://www.schaeffler.de/content.schaeffler.de/en/news_media/index.jsp) or by telephone on +49 (91 32) 82 - 28 97.

d	190 mm
D	340 mm
B	55 mm
B ₃	8,5 mm
D ₁	295 mm
d ₁	244 mm
D _a max	323 mm
d _a min	207 mm
d _c min	247 mm
E	306 mm
F	230 mm
r ₁ min	4 mm
r _a max	3 mm
r _{min}	4 mm
m	23,5 kg Mass
C _r	680000 N Basic dynamic load rating, radial
C _{0r}	930000 N Basic static load rating, radial
C _{ur}	111000 N Fatigue limit load, radial
n _G	3050 1/min Limiting speed

nb

1720 1/min Reference speed



