

/medias/en!hp.ec.br.pr//medias/en!hp.pv/212.178.145.106NU1021-XL-M1NU10Zylinderrollenlager

Cylindrical roller bearings

NU1021-XL-M1 (Series NU10)

main dimensions to DIN 5412-1, non-locating bearing,
separable, with cage

The datasheet is only an overview of dimensions and basic load ratings of the selected product. Please always observe all the guidelines in these overview pages. Further information is given on many products under the menu item "Description". You can also order comprehensive information via the Catalogue selection system (https://www.schaeffler.de/content.schaeffler.de/en/news_media/index.jsp) or by telephone on +49 (91 32) 82 - 28 97.

d	105 mm
D	160 mm
B	26 mm
D ₁	141 mm
D _a max	151 mm
d _a max	118 mm
d _a min	111 mm
d _b min	122 mm
E	145,5 mm
F	119,5 mm
r ₁ min	1,1 mm
r _{a1} max	1 mm
r _a max	2 mm
r _{min}	2 mm
s	4,5 mm Axial displacement facility from central position
m	1,84 kg Mass
C _r	132000 N Basic dynamic load rating, radial

C_{0r}	154000 N	Basic static load rating, radial
C_{ur}	19500 N	Fatigue limit load, radial
n_G	7300 1/min	Limiting speed
n_B	4050 1/min	Reference speed



